



**LUC-Front St & Main St-  
Toledo  
PID 121938  
Aerial Map**



**Legend**

Study Area

Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community, Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community



DISCLAIMER: THIS ANALYSIS AND GRAPHIC ARE STRICTLY AN INITIAL SCREENING OF THE DATA AVAILABLE. THE USER IS RESPONSIBLE FOR FURTHER VERIFICATION OF THE DATA PRESENTED AND FOR THE ADDITIONAL DISCLAIMERS FROM THE APPROPRIATE DATA SOURCE AGENCIES.



THE OHIO DEPARTMENT OF TRANSPORTATION  
OFFICE OF ENVIRONMENTAL SERVICES  
1980 W. BROAD ST.  
COLUMBUS, OH 43223  
PRODUCED WITH ARC GIS SOFTWARE  
DATE CREATED: 7/3/2024

## Schimmoeller, Stacy

---

**From:** Xianan Feng <Xianan.Feng@collierseng.com>  
**Sent:** Wednesday, December 3, 2025 3:43 PM  
**To:** Schimmoeller, Stacy  
**Cc:** Michael Stormer  
**Subject:** RE: [EXTERNAL] City of Toledo Front and Main Project utility coordination  
**Attachments:** COT Front and Main utility communications.pdf; Private Utilities.docx; City of Toledo Contacts.docx

This is an **External** email. Do not click links or open attachments unless you validate the sender and know the content is safe.

**ALWAYS** hover over the link to preview the actual URL/site and confirm its legitimacy.

Stacy,

All private utilities contacts were blind copied. They won't show up from other recipients or print. I snapped a copy of the bcc recipients.

All utilities from OUPS are on the list. We used the contacts from City as first round, of course I already received some auto replies that recipients did not exist. We will continue utility coordination, but we had performed the initial utility coordination as what you need.

Thanks

**Xianan Feng , PE**

Senior Engineering Specialist | Highway & Traffic Engineering  
Maumee, Ohio

**Colliers Engineering & Design**

[xianan.feng@collierseng.com](mailto:xianan.feng@collierseng.com)

Direct: 5673181536 | Cell: 4194807238 | Main: 877 627 3772

[colliersengineering.com](http://colliersengineering.com) | [affiliated authorized entities](#)



DISCLAIMER This e-mail is confidential. It may also be legally privileged. If you are not the addressee you may not copy, forward, disclose or use any part of this email text or attachments. If you have received this message in error, please delete it and all copies from your system and notify the sender immediately by return e-mail. Internet communications cannot be guaranteed to be timely, secure, error or virus free. The sender does not accept liability for any errors or omissions. Any drawings, sketches, images, or data are to be understood as copyright protected.

---

**From:** Schimmoeller, Stacy <SSchimmoeller@trccompanies.com>  
**Sent:** Wednesday, December 3, 2025 3:07 PM  
**To:** Xianan Feng <Xianan.Feng@collierseng.com>  
**Cc:** Michael Stormer <Michael.Stormer@collierseng.com>  
**Subject:** RE: [EXTERNAL] City of Toledo Front and Main Project utility coordination

**This Message originated outside your organization.**

Thanks Xianan! Could you send me a PDF of the email you sent showing the email addresses of all the utility providers the email was sent to? I need documentation that the email was sent to the specific utility companies. The email I received only shows that the email was sent to you (highlighted below), so I'll need more.

Let me know if additional info would be helpful.

All the best,

~Stacy

**Stacy Schimmoeller**

Senior Project Manager



C 419.701.8188 | [SSchimmoeller@trccompanies.com](mailto:SSchimmoeller@trccompanies.com)  
[LinkedIn](#) | [Instagram](#) | [TRCcompanies.com](http://TRCcompanies.com)

---

**From:** Xianan Feng <Xianan.Feng@collierseng.com>  
**Sent:** Wednesday, December 3, 2025 2:55 PM  
**To:** Xianan Feng <Xianan.Feng@collierseng.com>  
**Cc:** Grosjean, Tim <tim.grosjean@toledo.oh.gov>; Mike Gramza <Mike.Gramza@collierseng.com>; Michael Stormer <Michael.Stormer@collierseng.com>; Schimmoeller, Stacy <SSchimmoeller@trccompanies.com>; Rousos, Ted <Ted.Rousos@toledo.oh.gov>; Marcus Stoltzfus <Marcus.Stoltzfus@collierseng.com>; Gina.Green@toledo.oh.gov; John.Cromly@toledo.oh.gov; David.Villarreal@toledo.oh.gov; Adam.Zolciak@toledo.oh.gov; Todd.haggard@toledo.oh.gov; Angela.Tucker@toledo.oh.gov  
**Subject:** [EXTERNAL] City of Toledo Front and Main Project utility coordination

This is an **External** email. Do not click links or open attachments unless you validate the sender and know the content is safe.

**ALWAYS** hover over the link to preview the actual URL/site and confirm its legitimacy.

Dear Utility Representative,

Colliers Engineering & Design is the lead design firm preparing the plans and specifications for the Front and Main Streetscaping Project in Toledo, Lucas County, OH. The project includes corridor work on Front St from Oak St to Craig St and Main St from the MLK bridge to Nevada St. The City of Toledo is the project owner. Currently the project does not have a construction date, so this coordination is for informational purposes only. Any information you can provide will enhance the future coordination for the project.

Attached is a set of Stage 2 Plans for your review and comment. Please examine the plans for completeness and accuracy with respect to your facilities and identify any conflicts that may require relocation of your infrastructure. The underground and submerged facilities shown are based on markings collected through our OUPS survey requests and available existing plan information.

Please send any comments or marked-up revisions regarding your facilities by **01/15/2026**, so we may incorporate them into the Stage 3 plans.

Thank you very much.

**Xianan Feng , PE**

Senior Engineering Specialist | Highway & Traffic Engineering

[xianan.feng@collierseng.com](mailto:xianan.feng@collierseng.com)

Direct: 5673181536 | Cell: 4194807238 | Main: 877 627 3772

3410 Briarfield Boulevard Suite C | Maumee, Ohio 43537



[colliersengineering.com](http://colliersengineering.com) | [affiliated authorized entities](#)



DISCLAIMER This e-mail is confidential. It may also be legally privileged. If you are not the addressee you may not copy, forward, disclose or use any part of this email text or attachments. If you have received this message in error, please delete it and all copies from your system and notify the sender immediately by return e-mail. Internet communications cannot be guaranteed to be timely, secure, error or virus free. The sender does not accept liability for any errors or omissions. Any drawings, sketches, images, or data are to be understood as copyright protected.

# City of Toledo Department Contacts

## **Water Department**

Gina Green    [Gina.Green@toledo.oh.gov](mailto:Gina.Green@toledo.oh.gov)  
City of Toledo Department of Water Distribution  
401 South Erie St.  
Toledo, Ohio 43607

## **Transportation Department**

John Cromly    [John.Cromly@toledo.oh.gov](mailto:John.Cromly@toledo.oh.gov)  
City of Toledo Department of Transportation  
110 Westwood  
Toledo, Ohio 43607

## **Forestry Department**

David Villarreal    [David.Villarreal@toledo.oh.gov](mailto:David.Villarreal@toledo.oh.gov)  
Toledo Department of Forestry  
2201 Ottawa Dr.  
Toledo, Ohio 43606

## **Sewer Department**

Adam Zolciak    [Adam.Zolciak@toledo.oh.gov](mailto:Adam.Zolciak@toledo.oh.gov)  
City of Toledo Department of Sewer and Drainage  
4032 Creekside Ave  
Toledo, Ohio 43612

## **Environmental Department**

Todd Haggard    [Todd.haggard@toledo.oh.gov](mailto:Todd.haggard@toledo.oh.gov)  
Angela Tucker    [Angela.Tucker@toledo.oh.gov](mailto:Angela.Tucker@toledo.oh.gov)  
Toledo Department of Environmental Services  
348 South Erie Street  
Toledo, Ohio 43604

# Private Utilities

## Columbia Gas

Mike Gerke

[MGerke@nisource.com](mailto:MGerke@nisource.com)

[BCutler@nisource.com](mailto:BCutler@nisource.com)

Columbia Gas  
2901 W Manhattan Blvd  
Toledo, Ohio 43611  
419-279-9707

## AT&T

Rob Fey [rf1281@att.com](mailto:rf1281@att.com) Shawn Geldine [SG4312@att.com](mailto:SG4312@att.com)

AT&T

130 North Erie St.  
Toledo, Ohio 43604  
419-245-5004 O  
419-508-0395

130 North Erie St.  
Toledo, Ohio 43604  
419-245-5004 O  
419-508-0395

## Toledo Edison

TE Public Works Coordinator [TEPublicWorksCoordinator@firstenergycorp.com](mailto:TEPublicWorksCoordinator@firstenergycorp.com)

Brent Throne [bthrone@firstenergycorp.com](mailto:bthrone@firstenergycorp.com)

Toledo Edison  
6099 Angola Rd  
Holland, Ohio 43528  
419-249-5218

## Buckeye Cable

Michael Sheahan [msheahan@shredsvcs.com](mailto:msheahan@shredsvcs.com)

Buckeye Cable  
2700 Oregon Rd.  
Northwood, Ohio 43619  
419-724-3713

## **Verizon**

Strad Leiby  
[Strad\\_Leiby@verizonwireless.com](mailto:Strad_Leiby@verizonwireless.com)  
734-678-8724

Ali Algassid  
[Ali\\_Algassid@verizon.com](mailto:Ali_Algassid@verizon.com)

## **Private Utilities cont.**

### **Charter**

Kenneth Place [Kenneth.Place@charter.com](mailto:Kenneth.Place@charter.com)  
2010 Jefferson Ave.  
Defiance, Ohio 43512  
419-784-1992x3001

### **ZAYO**

[zayo.relo.ohio@zayo.com](mailto:zayo.relo.ohio@zayo.com)

### **ACD.Net**

OSP Engineering [OSP@acd.net](mailto:OSP@acd.net)

Shirley Yonka [yonka.shirley@acd.net](mailto:yonka.shirley@acd.net)

1800 N Grand River Ave

Lansing Michigan 48906

517-999-3240

### **Everstream**

Mike Keener [mkeener@everstream.net](mailto:mkeener@everstream.net)

1505 Woodward Ave. Suite 300

Detroit MI 48226

313-831-6427 O

313-909-0530 M

**Lumen**

**[relocations@lumen.com](mailto:relocations@lumen.com)**

---

**LUC Front St & Main St - Toledo, PID 121938**

---

**From** Grosjean, Tim <TIM.GROSJEAN@toledo.oh.gov>

**Date** Wed 09/24/25 8:38 AM

**To** ema@co.lucas.oh.us <ema@co.lucas.oh.us>

**Cc** Schimmoeller, Stacy <SSchimmoeller@trccompanies.com>; Golnick, Phoenix <Phoenix.Golnick@dot.ohio.gov>

Dear Ms. Buchhop,

We are writing to advise you that the City of Toledo, in partnership with the Ohio Department of Transportation (ODOT) is proposing a project to improve vehicles and pedestrians safety and accessibility on Front Street from Oak Street to the Craig Memorial Bridge and on Main Street from Nevada Street to the southern end of the MLK Memorial Bridge in Lucas County, Ohio. The proposed improvements include new traffic and pedestrian lights at the intersections of Front Street and Main Street as well as Starr Avenue and Main Street. Additional improvements include traffic calming measures, enhanced pedestrian crossings, landscaping, and new curbs and sidewalks. The start of construction is expected to begin several years after funding is secured and is expected to last approximately 10 months.

To complete the work, there will be some disruption of vehicular and pedestrian traffic flows. Vehicular traffic will be maintained by use of flaggers. Long-term roadway closures are not expected. Short sidewalk closures are expected when upgraded sidewalk is connected with the existing sidewalk, including near Glass City Metropark; however, sidewalk on one side of the roadway will remain open at all times during construction.

As you are a local public safety agency or local school official, we wish to inform you of this project and welcome your questions and comments on this project, especially on maintenance of traffic. Please forward this email to any police/fire/emergency medical services agencies that this pertains to.

Please submit your questions and comments on these issues within 30 days of receipt of this notification. If you have any questions or if you would like additional information, email me, or call me (contact information is below). Thanks!

Respectfully,

Timothy Grosjean, P.E.  
Senior Professional Engineer  
City of Toledo, Division of Engineering  
and Construction Management  
600 Jefferson Ave., Ste. 200  
Toledo, OH 43604  
Office: 419-245-1344  
Cell: 419-392-6577

**CAUTION:** This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to [csc@ohio.gov](mailto:csc@ohio.gov) or click the Phish Alert Button

if available.



# INTEROFFICE COMMUNICATION

TO: File  
FROM: Phoenix Golnick, District 2 Environmental Coordinator  
DATE: October 30, 2025  
SUBJECT: Regulated Materials Review Approval

PID: 121938

CRS: LUC-Front & Main St Toledo

**This is an ODOT decision document. A copy has been uploaded to Environet.**

Based on my review of the RMR Screening prepared by TRC, I find that no further environmental site assessment is warranted. However, if plans change, further environmental site assessment may become necessary.

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried-out by ODOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated [December 11, 2015], and executed by FHWA and ODOT

**From:** [Miranda Fisher](#)  
**To:** [Harendza, Heidi](#)  
**Cc:** [Oldershaw, Leigh](#)  
**Subject:** Section 106 Review - LUC Front St & Main St - Toledo / PID 121938  
**Date:** Monday, September 29, 2025 7:50:59 PM

---

Hello Heidi,

In regard to the subject project, it is the opinion of the SHPO that there will be no adverse effect on historic properties as a result of this project.

We have no further questions. Please let us know if anything changes.

Kind regards,  
Miranda

**Miranda Fisher, LEED GA | State Historic Preservation Office**  
**Architecture Transportation Reviews Manager**

Ohio History Connection | 800 E. 17<sup>th</sup> Ave. Columbus, OH 43211-2474  
p: 614.298.2000 | f: 614.298.2037 | [mfisher@ohiohistory.org](mailto:mfisher@ohiohistory.org)

**The Ohio History Connection's mission is to spark discovery of Ohio's stories. Embrace the present, share the past and transform the future.**

**CAUTION:** This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to [csc@ohio.gov](mailto:csc@ohio.gov) or click the Phish Alert Button if available.



**Department of  
Transportation**  
transportation.ohio.gov

Mike DeWine, *Governor*  
Jim Tressel, *Lt. Governor*  
Pamela Boratyn, *Director*

## INTER-OFFICE COMMUNICATION

### Office of Environmental Services

To: District 2 Deputy Director  
Attn: District Environmental Coordinator

Date: 9/19/2025

From: Administrator  
Office of Environmental Services

Subject: Effect Determination

Project: LUC Front St & Main St - Toledo (PID 121938)

---

#### **Project Description:**

The City of Toledo proposes to improve safety and accessibility on Front Street from Oak Street to Craig Street and on Main Street from MLK Bridge to Nevada Street. The project will resurface the pavement, remove and replace curb, sidewalk, and drive approaches, install a median divider, and provide landscaping features, as well as minor drainage improvements. The scope of the project also includes minor alterations to the Boers-Boyer Way/Main Street and the Main Street/Starr Avenue intersections, and provides traffic calming measures, signal upgrades, enhanced crossings, and streetscaping throughout the corridor. No new right-of-way will be required.

#### **Literature Review:**

A records check was conducted by ODOT to determine if previously recorded cultural resources have been identified within the project area. The records check included a review of electronic data from Ohio's State Historic Preservation Office (OSHPO) GIS database to identify properties listed on or eligible for the National Register of Historic Places (NRHP), Ohio Historic Inventory (OHI) buildings and structures, Ohio Archaeological Inventory (OAI), as well as properties that have previously received a Determination of Eligibility (DOE). The project will intersect 3 NRHP-listed historic districts: the Yondota Historic District (NRHP #96000833), the East Toledo Main Street Historic District (NRHP #SG100011535) and the East Toledo Historic District (NRHP #96000831).

#### **Summary of Cultural Resource Investigations:**

##### Archaeology

The project is located in an urban context in the City of Toledo. There are no known archaeological sites in the project area. Given the scope of the project and nature of the work, it is unlikely that archaeological resources will be impacted. No new right-of-way will be required. No further research is recommended.

##### History/Architecture

The project is located on Front Street and Main Street and will be conducted within 3 NRHP-listed historic districts: the Yondota Historic District (NRHP #96000833), the East Toledo Main Street Historic District (NRHP #SG100011535), and the East Toledo Historic District (NRHP #96000831). ODOT's Office of

Environmental Services completed a Field Review Summary dated September 8, 2025, that evaluated the effect of the project on historic resources. Sections of stone sidewalk were identified within the APE in the Yondota Historic District. No historic materials were identified within the APE in the East Toledo Main Street Historic District, or the East Toledo Historic District. See the History Architecture Field Review Summary uploaded to Environet for more information (Project File>Cultural Resources>Project Information>Field Review Summary-History Architecture.pdf].

**Conclusion:**

Based on the results of the literature review, the scope of the undertaking, and the results of the cultural resource review, no further cultural resource investigations are warranted. In accordance with Stipulation V(C) (3) of the Section 106 Programmatic Agreement between FHWA, ODOT, Ohio SHPO, and ACHP executed June 29, 2023 (Agreement No. 38503), ODOT-OES has determined that "no adverse effect" is the appropriate finding for the proposed LUC-Front St & Main St-Toledo project, based on the following.

1. There are no archaeological sites within the APE, and the project will be conducted within a disturbed urban area. No further archaeological investigations are warranted.
2. In accordance with 36 CFR 800.5(b) a finding of "no adverse effect" is applicable to the effect of the undertaking, and to the Yondota Historic District, NRHP # 96000833. No new right-of-way will be acquired, and the project will not alter any character-defining features of the historic district that make it eligible for inclusion on the NRHP.
3. The project will have no effect on the East Toledo Main Street Historic District (NRHP #SG100011535) and the East Toledo Historic District (NRHP #96000831).

No further cultural resource investigation is required pending completion of a 15-day review and comment period at the SHPO and 30-day review and comment period by federally recognized tribes. Questions may be addressed to Stanley W. Baker, Staff Archaeologist at stanley.baker@dot.ohio.gov and Heidi Harendza, Staff Historian, at Heidi.Harendza@dot.ohio.gov.

**Electronic Signatures:**

OES Signature:	Signature Date:
Leigh Oldershaw	9/19/2025

*The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by ODOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 14, 2020, and executed by FHWA and ODOT.*






Department of  
Transportation

**TIMS**

TRANSPORTATION  
INFORMATION  
MAPPING SYSTEM


MENU ▾



 Urbanized Area Boundary  
 Project Area

LUC Front St & Main St – Toledo PID 121938  
Toledo Urbanized Area Boundary


## Drinking Water Source Protection Areas - LUC-Front St & Main St - Toledo PID (121938)



5/20/2025, 12:18:44 PM

- Source Water Protection Area
- Inner Management Zone
- Project Area

1:18,056



Division of Drinking and Ground Waters, Ohio EPA, Esri, NASA, NGA, USGS, FEMA, Esri Community Maps Contributors, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc., METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, USFWS

Ohio EPA  
Division of Drinking and Ground Waters

**From:** [Harendza, Heidi](#)  
**To:** [Golnick, Phoenix](#); [Baker, Allie](#)  
**Cc:** [Gasbarro, Susan](#); [Oldershaw, Leigh](#); [Schneider, Erica](#)  
**Subject:** LUC-Front St & Main St-Toledo (PID 121938) 4(f) No Use  
**Date:** Friday, October 10, 2025 2:53:00 PM  
**Attachments:** [image001.png](#)

---

This is an ODOT decision document. A copy has been uploaded to EnviroNet. The Section 4(f) portion of the NEPA document should include the date of this email and the following paragraphs.

This email confirms the undertaking LUC-Front St & Main St-Toledo (PID 121938) will not require land from within the historic boundary of a Section 4(f) Cultural Resource. The proposed project is located in the City of Toledo, Lucas County, OH. The project will resurface pavement, remove and replace curb, sidewalk, and drive approaches, install a medial divider, and provide landscaping features and drainage improvements. The scope of the project also includes minor alterations to the Boers-Boyer Way/Main Street and the Main Street/Starr Avenue intersections, and provides traffic calming measures, signal upgrades, enhanced crossings, and streetscaping throughout the corridor. No new permanent right-of-way will be required for the project. Portions of the project will be conducted within 3 historic districts listed in the National Register of Historic Places (NRHP): the Yondota Historic District (NRHP #96000833), the East Toledo Main Street Historic District (NRHP #SG100011535), and the East Toledo Historic District (NRHP #96000831).

The project will not acquire new permanent right-of-way from within the historic boundary of an eligible resource, and no character-defining features associated with an NRHP-listed or eligible resource will be altered by the project. Pursuant to the Section 106 Programmatic Agreement between FHWA, ODOT, Ohio SHPO, and ACHP executed June 29, 2023 (Agreement No. 38503) and 36 CFR 800.3 (a)(2), ODOT's Office of Environmental Services determined a finding of "no adverse effect" is applicable to the undertaking on September 19, 2025. Ohio's State Historic Preservation Office (OSHPO) concurred with the determination on September 29, 2025. In accordance with 23 CFR Part 774, the undertaking LUC-Front St & Main St-Toledo (PID 121938) will not result in the use of a Section 4(f) Cultural Resource.

*The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by ODOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 14, 2020, and executed by FHWA and ODOT.*

**Heidi Harendza**

**Staff Historian**

**ODOT Office of Environmental Services**

1980 West Broad Street, Mail Stop 4170

Columbus, Ohio 43223

D: 614-752-2171

[heidi.harendza@dot.ohio.gov](mailto:heidi.harendza@dot.ohio.gov)



**Department of  
Transportation**

**From:** [Trecuzzi, Veronica](#)  
**To:** [Golnick, Phoenix](#)  
**Cc:** [Schneider, Erica](#)  
**Subject:** LUC-Front St & Main St - Toledo PID 121938 - Section 4(f) Determination - Temporary No Use  
**Date:** Monday, July 28, 2025 11:44:00 AM  
**Attachments:** [image001.png](#)

---

Phoenix,

A Section 4(f)/6(f) Determination Request Form for Recreational Properties (DRF) was submitted to ODOT-OES Policy Staff on July 23, 2025. Based upon review of the DRF it was determined the proposed project can be processed as an exception to the requirement for Section 4(f) approval. In accordance with 23 CFR 774.13(d), the temporary occupancy of land and/or access will not constitute a use upon the protected recreational activities, features, or attributes associated with Glass City MetroPark. The determination was made based on the proposed scope of work and concurrence received from the Official with Jurisdiction (OWJ) regarding the assessment of impacts that are included in the DRF.

No further Section 4(f) coordination is required at this time. A re-evaluation of Section 4(f) impacts may be required if changes to the proposed scope of work alter the degree of impacts to Glass City MetroPark. Furthermore, all appropriate environmental commitments related to measures to minimize harm and/or resulting mitigation should be listed accordingly in the environmental document.

Should you have any questions and/or comments concerning this determination please contact me.

Respectfully,

**Veronica Trecuzzi**  
**EnviroNet Program Manager**  
**NEPA Project Coordinator**  
**Section 6f Program Manager**  
ODOT Office of Environmental Services  
1980 West Broad Street, Mailstop 4170  
Columbus, Ohio 43223  
(614) 387-1267  
[Veronica.Trecuzzi@dot.ohio.gov](mailto:Veronica.Trecuzzi@dot.ohio.gov)



**Department of  
Transportation**



 Project Area

## LWCF Report Metadata Tab

**Information:** Unofficial LWCF funding records/information; contact us to learn where to find official information: <https://lwcf.tplgis.org/contact>

**Legal/disclaimer:** This table was created on May 20, 2025 using the Trust for Public Land and Land and Water Conservation Fund interactive mapping site. The table and its contents are for informational purposes only. The providers of this table disclaim any and all warranties, express or implied, including fitness for a particular purpose or merchantability, and make no representation that the table and its contents is complete, accurate, or error free. Use and reliance on this report is at the sole risk of the party using same.

**Copyright:** © 2022 The Trust for Public Land

**Export Date:** 05/20/2025 16:52:48

### Export Filter

**State:** OH

**County:** Lucas

**US Congress:** none

**Program:** none

All records found on the Data tab were selected using the export filter above

### Project Type codes

AQ	Acquisition
AQDV	Acquisition & Development
AQEA	Acquisition (Easement)
AQFE	Acquisition (Fee)
AQFNE	Aquisition (Fee & Easement)
AQLE	Acquisition (Lease)
AQUN	Acquisition (Unknown)
DEV	Development
DON	Donation
EXC	Exchange
PLN	Planning
PRCH	Purchase
RDV	Redevelopment
TRN	Transfer
UNK	Unknown

Program	State	County	Municipality	Congressional District	Sponsor or agency	Project name	Other project name	Unit or area name	Project purpose	Project type	Year funded	LWCF funding by selected filter	Total LWCF funding to unit/area
NPS	OH	Lucas		District 09	NPS	Fallen Timbers Battlefield & Fort Miamis National Historic Site	Fallen Timbers Battlefield & Fort Miamis Nat	AQ				2495000	2495000
USFWS	OH	Lucas		District 09	USFWS	Ottawa National Wildlife Refuge	Ottawa National Wildlife Refuge	AQFE			2008	205000	205000
Outdoor Recrea	OH	Lucas	Toledo	District 09	Development Metro	Downtown Waterfront Metropark			Project restores 70 a	UNK	2018	750000	2921100
Outdoor Recrea	OH	Lucas	Toledo	District 09	OH Dept. of Natural F	Manhattan Marsh Park	Manhattan Marsh Park			DEV	2018	475000	
State and Local	OH	Lucas	Waterville	District 09		Village of Waterville	Baer Park			DEV	1973	110397	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Blue Grass Island			AQFE	1973	25000	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Boston Farm		Addition	AQFE	1972	30000	
State and Local	OH	Lucas	Toledo	District 09		City of Toledo	Crosby Park			DEV	1972	63000	
State and Local	OH	Lucas	Toledo	District 09		City of Toledo	Crosby Perennial Garden			DEV	1988	65822	
State and Local	OH	Lucas	Toledo	District 09		City of Toledo	Crosby Shade Garden			DEV	1986	109841	
State and Local	OH	Lucas	Toledo	District 09		City of Toledo	East Park		Riverfront	AQFE	1972	757302	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Evergreen Lake Area			AQFE	1973	17000	
State and Local	OH	Lucas	Toledo	District 09		City of Toledo	Gunckel Park			DEV	1992	52027	
State and Local	OH	Lucas	Lucas County	District 09		Hand Ball Courts	Hand Ball Courts			DEV	1973	13852	
State and Local	OH	Lucas	Sylvania	District 09		City of Sylvania	Harroun Community Park			AQFE	1980	99418	
State and Local	OH	Lucas	Toledo	District 09		City of Toledo	International Park			DEV	1979	350350	
State and Local	OH	Lucas		District 09		Dept. of Natural Reso	Irwin Prairie			AQFE	1974	55550	
State and Local	OH	Lucas		District 09		Dept. of Natural Reso	Irwin Prairie		Phase 2	AQFE	1976	57998	
State and Local	OH	Lucas		District 09		Dept. of Natural Reso	Louis W. Campbell Nature Preserve			AQFE	1979	81750	
State and Local	OH	Lucas		District 09		Lucas County	Lucas County Recreation Center			DEV	2002	62350	
State and Local	OH	Lucas		District 09		Dept. of Natural Reso	Maumee Bay Camping			DEV	1978	700000	
State and Local	OH	Lucas		District 09		Dept. of Natural Reso	Maumee Bay State Park			AQFE	1974	855195	
State and Local	OH	Lucas		District 09		Toledo Area Metropa	Maumee River		Access	AQFE	1979	59060	
State and Local	OH	Lucas		District 09		Dept. of Natural Reso	Maumee River Parkway			AQFE	1969	344299	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Maumee River Rapids		Phase II	AQFE	1980	191521	
State and Local	OH	Lucas	Toledo	District 09		City of Toledo	Maumee Riverfront			AQFE	1978	406305	
State and Local	OH	Lucas		District 09		Toledo Area Metropa	Maumee Riverview		Addition	AQFE	1973	14813	
State and Local	OH	Lucas		District 09		Lucas County	Nona France Park			AQFE	1973	90000	
State and Local	OH	Lucas	Toledo	District 09		City of Toledo	Parks Route Bikeway			DEV	1976	90000	
State and Local	OH	Lucas	Toledo	District 09		City of Toledo	Promenade Park			DEV	1980	510000	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Providence Metropark			DEV	1977	46604	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Providence Park			AQFE	1978	63919	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Providence Park			DEV	1991	107420	
State and Local	OH	Lucas		District 09		Toledo Area Metropa	Sandy Oaks		Addition	AQFE	1973	33540	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Side Cut Metro Park			DEV	1977	69024	
State and Local	OH	Lucas	Oregon	District 09		City of Oregon	South Shore Park			DEV	1983	50499	
State and Local	OH	Lucas	Toledo	District 09		OH Dept. of Natural F	Springer Farm		Wetland Restoration	DEV	2017	300000	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Swan Creek Metropark			DEV	1978	282625	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Swan Creek Park		Addition	AQFE	1973	6200	
State and Local	OH	Lucas	Olander	District 09		Olander Park System	Sylvan Prairie Park			AQFE	2010	80500	
State and Local	OH	Lucas	Olander	District 09		Sylvan Prairie Park	Sylvan Prairie Park		Timberstone Additio	AQFE	2012	70000	
State and Local	OH	Lucas	Olander	District 09		Sylvan Prairie Park	Sylvan Prairie Park		Timberstone Additio	AQFE	2014	87500	
State and Local	OH	Lucas	Maumee	District 09		City of Maumee	Towpath Park			AQFE	1973	22868	
State and Local	OH	Lucas	Olander	District 09		Olander Park System	Western Sylvania Township Nature Park			AQFE	2005	200000	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Wildwood Preserve			AQFE	1975	100000	
State and Local	OH	Lucas	Toledo	District 09		Toledo Area Metropa	Wildwood Preserve		Phase II	DEV	1977	45310	

**From:** [Trecazzi, Veronica](#)  
**To:** [Golnick, Phoenix](#)  
**Cc:** [Schneider, Erica](#)  
**Subject:** LUC-Front St & Main St - Toledo - Section 6(f) Determination - Maintenance  
**Date:** Monday, July 28, 2025 11:50:00 AM  
**Attachments:** [image001.png](#)

---

Phoenix,

A Section 4(f)/6(f) Determination Request Form for Recreational Properties (DRF) was submitted to ODOT-OES Policy Staff on July 23, 2025. Based upon review of the DRF it was determined that the proposed project can be processed as a Maintenance Type Project in accordance with Section B(1) of the Section 6(f) Memorandum of Understanding executed July 11, 2018. Access to Glass City MetroPark will be maintained at all times during construction activities. Furthermore, the type of work is designed to enhance the property and will not change the use of land from recreational to transportation.

No further Section 6(f) coordination is required at this time. A re-evaluation of Section 6(f) impacts may be required if changes to the proposed scope of work alter the degree of impacts to Glass City MetroPark. Furthermore, all appropriate environmental commitments related to measures to minimize harm and/or resulting mitigation should be listed accordingly in the environmental document.

Should you have any questions and/or comments concerning this determination please contact me.

Respectfully,

**Veronica Trecazzi**  
**EnviroNet Program Manager**  
**NEPA Project Coordinator**  
**Section 6f Program Manager**  
ODOT Office of Environmental Services  
1980 West Broad Street, Mailstop 4170  
Columbus, Ohio 43223  
(614) 387-1267  
[Veronica.Trecazzi@dot.ohio.gov](mailto:Veronica.Trecazzi@dot.ohio.gov)



**Department of  
Transportation**

## Schimmoeller, Stacy

---

**From:** Grosjean, Tim <TIM.GROSJEAN@toledo.oh.gov>  
**Sent:** Tuesday, November 18, 2025 2:44 PM  
**To:** Schimmoeller, Stacy  
**Cc:** Mike Gramza; Michael Stormer  
**Subject:** [EXTERNAL] RE: Public Comments? - LUC Front St & Main St - Toledo, PID 121938

This is an **External** email. Do not click links or open attachments unless you validate the sender and know the content is safe.

**ALWAYS** hover over the link to preview the actual URL/site and confirm its legitimacy.

Stacy,

I have not received any comments as of this email. Thanks!

Tim

---

**From:** Schimmoeller, Stacy <SSchimmoeller@trccompanies.com>  
**Sent:** Tuesday, November 18, 2025 2:42 PM  
**To:** Grosjean, Tim <TIM.GROSJEAN@toledo.oh.gov>  
**Cc:** Mike Gramza <mike.gramza@collierseng.com>; Michael Stormer <michael.stormer@collierseng.com>  
**Subject:** Public Comments? - LUC Front St & Main St - Toledo, PID 121938

Hi Tim,

Have you received any comments from the flyers (attached) that were posted in the parks (locations in the attached) near the project area from Oct 17 through Nov 17, 2025? If so, could you please send me the comments and responses to each?

All the best,  
~Stacy

**Stacy Schimmoeller**


Senior Project Manager



☎ 419.701.8188 | [SSchimmoeller@trccompanies.com](mailto:SSchimmoeller@trccompanies.com)  
[LinkedIn](#) | [Instagram](#) | [TRCcompanies.com](http://TRCcompanies.com)

Links contained in this email have been replaced by ZixProtect Link Protection. If you click on a link in the email above, the link will be analyzed for known threats. If a known threat is found, you will not be able to proceed to the destination. If suspicious content is detected, you will see a warning.

Flyer Location Map  
LUC-Front St & Main St, PID 121938



Flyers to be placed on traffic signal poles and utility poles along the roadways within the red project area shown above, along with areas in the parks shown above.


City of Toledo Parks owned area  
Metroparks of Toledo owned area

# Upcoming Project

Improve Safety and Accessibility along Front Street & Main Street

## Proposed Project

- Improving vehicle and pedestrian safety and accessibility on Front Street from Oak Street to Craig Memorial Bridge and also on Main Street from Nevada Street to the southern end of the MLK Memorial Bridge in the City of Toledo.
- The proposed improvements include resurfacing within the project limits and pedestrian crossing upgrades. Additional improvements include traffic signal upgrades, traffic calming measures, streetscaping, and new curbs and sidewalks. Main Street between Nevada Street and Starr Avenue will be converted to a two-way street.
- Short sidewalk closures are expected when upgraded sidewalk is connected with the existing sidewalk, including near Glass City Metropark; however, sidewalk on one side of the roadway will remain open at all times during construction.
- Vehicular traffic will be maintained by use of flaggers. Long-term roadway closures are not expected.
- The start of construction is expected to begin in several years after funding is secured and is expected to last approximately 10 months.



Contact Information:  
Tim Grosjean, P.E.  
Senior Professional Engineer  
City of Toledo, Division of Engineering  
600 Jefferson Avenue, Toledo, Ohio 43607  
P: (419) 245-1344  
[Tim.Grosjean@toledo.oh.gov](mailto:Tim.Grosjean@toledo.oh.gov)

**Schimmoeller, Stacy**

---

**From:** Grosjean, Tim <TIM.GROSJEAN@toledo.oh.gov>  
**Sent:** Wednesday, September 24, 2025 8:39 AM  
**To:** ema@co.lucas.oh.us  
**Cc:** Schimmoeller, Stacy; Phoenix.Golnick@dot.ohio.gov  
**Subject:** [EXTERNAL] LUC Front St & Main St - Toledo, PID 121938

This is an **External** email. Do not click links or open attachments unless you validate the sender and know the content is safe.

**ALWAYS** hover over the link to preview the actual URL/site and confirm its legitimacy.

Dear Ms. Buchhop,

We are writing to advise you that the City of Toledo, in partnership with the Ohio Department of Transportation (ODOT) is proposing a project to improve vehicles and pedestrians safety and accessibility on Front Street from Oak Street to the Craig Memorial Bridge and on Main Street from Nevada Street to the southern end of the MLK Memorial Bridge in Lucas County, Ohio. The proposed improvements include new traffic and pedestrian lights at the intersections of Front Street and Main Street as well as Starr Avenue and Main Street. Additional improvements include traffic calming measures, enhanced pedestrian crossings, landscaping, and new curbs and sidewalks. The start of construction is expected to begin several years after funding is secured and is expected to last approximately 10 months.

To complete the work, there will be some disruption of vehicular and pedestrian traffic flows. Vehicular traffic will be maintained by use of flaggers. Long-term roadway closures are not expected. Short sidewalk closures are expected when upgraded sidewalk is connected with the existing sidewalk, including near Glass City Metropark; however, sidewalk on one side of the roadway will remain open at all times during construction.


As you are a local public safety agency or local school official, we wish to inform you of this project and welcome your questions and comments on this project, especially on maintenance of traffic. Please forward this email to any police/fire/emergency medical services agencies that this pertains to.

Please submit your questions and comments on these issues within 30 days of receipt of this notification. If you have any questions or if you would like additional information, email me, or call me (contact information is below) . Thanks!

Respectfully,

Timothy Grosjean, P.E.  
Senior Professional Engineer  
City of Toledo, Division of Engineering  
and Construction Management  
600 Jefferson Ave., Ste. 200  
Toledo, OH 43604  
Office: 419-245-1344  
Cell: 419-392-6577

**LUC-Front St & Main St-  
Toledo  
PID 121938  
FEMA Firm**




**Legend**

 Study Area



Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community, Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community



DISCLAIMER: THIS ANALYSIS AND GRAPHIC ARE STRICTLY AN INITIAL SCREENING OF THE DATA AVAILABLE. THE USER IS RESPONSIBLE FOR FURTHER VERIFICATION OF THE DATA PRESENTED AND FOR THE ADDITIONAL DISCLAIMERS FROM THE APPROPRIATE DATA SOURCE AGENCIES.



THE OHIO DEPARTMENT OF TRANSPORTATION  
OFFICE OF ENVIRONMENTAL SERVICES  
1980 W. BROAD ST.  
COLUMBUS, OH 43223  
PRODUCED WITH ARC GIS SOFTWARE  
DATE CREATED: 7/3/2024